

Message

---

**From:** Rossi, Debra [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=F1AA8EE0AD5E41C5B1D296767097F89E-DROSSI]  
**Sent:** 12/10/2018 2:21:01 PM  
**To:** Miller, Theresa [theresa\_miller@golder.com]  
**CC:** Susanna Mays [susanna@TrustSC.com]; christina.wirtz@state.de.us [Christina.Wirtz@state.de.us]; Doug Sutton [dsutton@hgl.com]  
**Subject:** RE: DS&G - Partial approval of PDI Work Plan

Thank you, Theresa. I'll let you know if EPA has any comments on the proposal by 12/21/18.

Debbie

Debra Rossi  
Remedial Project Manager  
DE, VA, WV Remedial Branch (3HS23)  
EPA Region 3  
1650 Arch Street  
Philadelphia, PA 19103  
(215) 814-3228  
rossi.debra@epa.gov

---

**From:** Miller, Theresa <theresa\_miller@golder.com>  
**Sent:** Friday, December 07, 2018 5:16 PM  
**To:** Rossi, Debra <Rossi.Debra@epa.gov>  
**Cc:** Susanna Mays <susanna@TrustSC.com>; christina.wirtz@state.de.us; Doug Sutton <dsutton@hgl.com>  
**Subject:** RE: DS&G - Partial approval of PDI Work Plan

Hi Debbie,

Please see the attached response to EPA's request for "an alternate purging and sampling method for wells with long well screens to EPA by December 7, 2018. The proposal will include purging of three well volumes from selected wells and will specify the rationale for choosing wells for the alternate purging and sampling methodology."

Please let us know if you have any questions or need additional information.

Thanks, Theresa

Theresa A. Miller, PG, LSP | Golder Associates Inc.

*This email transmission is confidential and may contain proprietary information for the exclusive use of the intended recipient. Any use, distribution or copying of this transmission, other than by the intended recipient, is strictly prohibited. If you are not the intended recipient, please notify the sender and delete all copies. Electronic media is susceptible to unauthorized modification, deterioration, and incompatibility. Accordingly, the electronic media version of any work product may not be relied upon.*

Please consider the environment before printing this email.

---

**From:** Rossi, Debra <Rossi.Debra@epa.gov>  
**Sent:** Friday, November 30, 2018 11:49 AM  
**To:** Doug Sutton <dsutton@hgl.com>  
**Cc:** Miller, Theresa <theresa\_miller@golder.com>; Susanna Mays <susanna@TrustSC.com>; christina.wirtz@state.de.us  
**Subject:** DS&G - Partial approval of PDI Work Plan

Doug,

EPA's approval for those portions of the PDI Work Plan pertaining to drilling and well installation activities is attached along with EPAs' comments on Golder's November 16, 2018 responses to Agency comments on the PDI Work Plan which have not been fully resolved. As we discussed yesterday, I will update you and Theresa next week regarding the status of OASQA's review of the lab data received this week regarding modified Method 537 for PFAS analysis.

Have a good weekend.

Debbie

Debra Rossi  
Remedial Project Manager  
DE, VA, WV Remedial Branch (3HS23)  
EPA Region 3  
1650 Arch Street  
Philadelphia, PA 19103  
(215) 814-3228  
[rossi.debra@epa.gov](mailto:rossi.debra@epa.gov)